Nitrogen Generator



Pneumatech is a global leader in the quality air business with more than 50 years in the nitrogen business. The Pneumatech brand is associated with quality and high level of innovation.

The Pneumatech nitrogen generator is a newly developed product to fit the increased demand for nitrogen supply at our customer's site. In order to safeguard the environment from the unnecessary transport of gas tubes and obtain a flexible supply of nitrogen, many companies switch to on-site gas generators. The most cost effective, long-term solution to provide nitrogen is installing an on-site gas generator.



PPNG 2.5-650

To reach the best performance, the purity range has been split in 2:

Variant	Nitrogen purity	Filter grade
	95%	5%
% variant	97%	3%
	98%	2%
	99%	1%
	99.5%	0.5%
	99.9%	0.1%
	99.95%	500 ppm
PPM variants	99.99%	100 ppm
	99.999%	10 ppm

Important features & benefits
Easy to install – plug & play philosophy
Produces nitrogen when you need it - only requirement is that your factory has access to clean compressed air
Cost savings – service and installation cost is kept to a minimum
In-house design – smart and innovative design

In-house design – smart and innovative design features developed by our own engineering team

Exact purity levels – you can easily way set the purity levels (95-99.999%) to fit your product needs

Options	PPNG 2.5 - 650
Inlet PDP sensor - protection against too high inlet air pressure dew point	•
Flow meter - indication for the outlet flow produced	√
Seaworthy packaging - overseas transport	•

√ Standard

Optional













Technical data



Pure air . Pure gas

					lan Manadalan manadan			Dimensions					
Туре	Purity	Nitroge	en flow	Air	r flow Vessel size-generator		mm			in			
		Nm³/h*	cfm*	Nm³/h**	cfm**	l gl	L	w	н	L	w	н	
PPNG-2.5	99.5	4.3	2.53	14.4	8.5	20.0	75.7	600.0	743.0	1484.0	23.6	29.3	58.4
PPNG-5	99.5	9.2	5.42	30.0	17.7	40.0	151.4	600.0	743.0	1504.0	23.6	29.3	59.2
PPNG-7	99.5	11.4	6.71	36.0	21.2	60.0	227.1	600.0	743.0	1526.0	23.6	29.3	60.1
PPNG-9	99.5	15.3	9.00	54.0	31.8	90.0	340.7	750.0	750.0	1811.0	29.5	29.5	71.3
PPNG-12	99.5	21.4	12.60	72.0	42.4	90.0	340.7	750.0	750.0	1811.0	29.5	29.5	71.3
PPNG-18	99.5	30.5	17.95	102.0	60.0	150.0	567.8	850.0	832.0	1654.0	33.5	32.8	65.1
PPNG-24	99.5	40.7	23.96	141.0	83.0	200.0	757.0	850.0	800.0	2142.0	33.5	31.5	84.3
PPNG-28	99.5	47.8	28.13	154.8	91.1	280.0	1059.8	1120.0	823.0	1972.0	44.1	32.4	77.6
PPNG-37	99.5	63.1	37.14	189.0	111.2	280.0	1059.8	1120.0	823.0	1972.0	44.1	32.4	77.6
PPNG-44	99.5	74.3	43.73	216.0	127.1	350.0	1324.8	1190.0	907.0	2290.0	46.9	35.7	90.2
PPNG-55	99.5	93.6	55.09	324.0	190.7	500.0	1892.5	1230.0	940.0	2307.0	48.4	37.0	90.8
PPNG-67	99.5	114.0	67.10	348.0	226.0	800.0	3028.0	1640.0	1095.0	2370.0	64.6	43.1	93.3
PPNG-110	99.5	188.0	110.7	594.0	349.6	1000.0	3785.0	1765.0	1135.0	2412.0	69.5	44.7	95.0
PPNG-150	99.5	254.0	149.5	817.0	480.8	1500.0	5677.5	1960.0	1188.0	2971.0	77.2	46.8	117.0
PPNG-250	99.5	427.0	251.3	1428.0	840.5	2000.0	7570.0	2471.0	1337.0	3105.0	97.3	52.6	122.2
PPNG-325	99.5	554.0	326.1	1836.0	1080.6	3000.0	11355.0	2970.0	1478.0	3285.0	116.9	58.2	129.3
PPNG-540	99.5	916.0	539.1	2880.0	1695.0	2000.0	7570.0	2471.0	2640.0	3105.0	97.3	103.9	122.2
PPNG-650	99.5	1119.0	658.6	3840.0	2260.1	3000.0	11355.0	2970.0	2918.0	3283.0	116.9	114.9	129.3

 $^{^{\}star\star}$ To size the compressor, use 10% extra flow margin compared to the values mentioned in the air flow field.

*Reference conditions	Metric	Imperial	
Ambient temperature	20°C	68°F	
Unit inlet temperature	20°C	68°F	
Unit working pressure	7.5 barg	109 psig	
Unit outlet nitrogen purity	99.5%	99.5%	
Compressed air inlet quality	ISO8573-1 class 1-4-1	ISO8573-1 class 1-4-1	

Outputs (min/max)						
Maximum compressed air inlet temperature	45°C	113°F				
Maximum ambient temperature	45°C	113°F				
Minimum compressed air inlet temperature	5°C	41°F				
Minimum ambient temperature	5°C	41°F				
Minimum compressed air inlet pressure	4 barg	58 psig				
Maximum compressed air inlet pressure	10 barg	145 psig				



Pneumatech reserves the right to change or revise specifications and product design in connection with any features of our products. Such changes do not entitle the buyer to corresponding changes, improvements, additions or replacements for equipment previously sold or shipped.

6999900130 © 2014 Pneumatech. All rights reserved.



